

CHILLER & FREEZER



Refrigeration solutions **Redefined**



About Prego Refrigerator

Prego Refrigerator is a machine for keeping things cold. The low temperature lowers the reproduction rate of bacteria, enabling the Prego Refrigerator to reduce the rate of spoilage. Prego Refrigerators are essential for your restaurant, bakery, catering business or other food-service establishments.

Advantages



Stainless Steel -
Food Grade



Frost free cooling fan
for uniform
temperature distribution



Heavy duty wheels for
Reach in
& Under counter



Lock in, Reach ins &
Under counters



Self closing
door



Removable
gasket



Digital temperature
display



Adjustable
shelves



Built in
handle

Upright Chillers & Freezers



Model	RFGN0870D2	RFGN1400D4	RCGN0870D2	RCGN1400D4
Product Name	2 Door Upright Freezer	4 Door Upright Freezer	2 Door Upright Chiller	4 Door Upright Chiller
Capacity (L)	650	1400	650	1400
Dimension (mm)	740 × 870 × 2050	1400 × 870 × 2050	740 × 870 × 2050	1400 × 870 × 2050
Temp Range (°C)	-18 -22°	-18 -22°	+2 +10°	+2 +10°
Power (kW)	0.355	0.495	0.25	0.385

Under Counter Chillers



Model	RTCGN1350D2	RTCGN1350D2-S	RTCGN1350D2-G
Product Name	2 Door Under Counter Chiller	2 Door Salad Counter Chiller	2 Glass Door Under Counter Chiller
Capacity (L)	260	260	260
Dimension (mm)	1355 × 700 × 850	1355 × 700 × 1150	1355 × 700 × 850
Temp Range (°C)	+2 to +10°	+2 to +10°	+2 to +10°
Power (kW)	0.23	0.23	0.23

Under Counter Chillers



Model **RTCGN1800D3**
Product Name 3 Door Under Counter Chiller
Capacity (L) 400
Dimension (mm) 1800 x 700 x 850
Temp Range (°C) +2 to +10°
Power (kW) 0.265



Model **RTCGN1800D3-S**
Product Name 3 Door Salad Counter Chiller
Capacity (L) 400
Dimension (mm) 1800 x 700 x 1150
Temp Range (°C) +2 to +10°
Power (kW) 0.265



Model **RTCGN1800D3-G**
Product Name 3 Glass Door Under Counter Chiller
Capacity (L) 400
Dimension (mm) 1800 x 700 x 850
Temp Range (°C) +2 to +10°
Power (kW) 0.265



Model **RTCGN1500D2**
Product Name Bakery Under Counter Chiller
Capacity (L) 325
Dimension (mm) 1500 x 800 x 850
Temp Range (°C) +2 to +10°
Power (kW) 0.245



Model **DPU1800D3**
Product Name Display Prepare Unit
Capacity (L) 75
Dimension (mm) 1800 x 395 x 435
Temp Range (°C) +2 to +10°
Power (kW) 0.1



Model **DPU1200D2**
Product Name Display Prepare Unit
Capacity (L) 50
Dimension (mm) 1200 x 395 x 435
Temp Range (°C) +2 to +10°
Power (kW) 0.1



PREGO GLOBAL LLP,
 17 Phillip Street,
 #05-01 Grand Building,
 Singapore (048695).
 info@prego.co

Authorised Dealer



Distributor:
THE INDIA METAL WORKS
 #257 South Mint Street, Park Town,
 Chennai - 600 003.
 info@indiametalworks.com

For trade enquiries:
+91 94440 09654
+91 94443 88494
www.prego.co

Due to our continuous efforts for improving & developing, Prego Global LLP, reserves the rights of changing features with no previous notice.